



Trend for Precision Soil Testing

% Zone or Grid Samples Tested compared to Total Samples




AGVISE Laboratories

***%Zone or Grid Samples Tested Compared to
Conventional Whole Field Composite Samples in 2013***




AGVISE Laboratories

***%Zone or Grid Samples – Northwood laboratory
1997 - 2013***



Average Soil Nitrate following Wheat in 2013




Average Change in Soil Nitrate From 2012


MB

(Wheat fields tested in the fall)


(lb/a 0-24" samples)




Average Soil Nitrate Following "WHEAT" in Canada 1986-2013




Soil Nitrate Variability Between Fields Following “Wheat” in Canada - 2013




Average Soil Nitrate following Canola in 2013




Average Soil Nitrate change from 2012 Following Canola




Soil Nitrate Variability Between Fields Following “Canola” in Canada – 2013




Average Soil Nitrate Following "Canola" in Canada 1988-2013




Soil Nitrate Variability Between Fields Following “Barley” in Canada - 2013




Average Soil Nitrate Following "BARLEY in Canada 1986-2013




Soil Nitrate Variability Between Fields Following “Flax” in Canada - 2013




Average Soil Nitrate Following "FLAX in Canada 1988-2013




Soil Nitrate Variability Between Fields Following "Potato" in Canada - 2013




Average Soil Nitrate Following "POTATO" in Canada 1988-2013




Average Soil Nitrate following Corn in 2013




Soil Nitrate Variability Between Fields Following “Corn” in Canada - 2013




Average Soil Nitrate Following "CORN in Canada 1988-2013



Soil Nitrate Variability Between Fields Following “Soybean” in Canada 2013



Average Soil Nitrate Following “Soybeans” in Canada




of Fields Tested 607 827 865 1350 1579 2027

% Soil Samples with Phosphorus less than 10 ppm




Fall 2013 samples
(0-6" samples)
(Olsen P test)



% Soil Samples with Potassium less than 150 ppm




Fall 2013 samples
(0-6" samples)



% Soil Samples with Zinc less than 1.0 ppm




Fall 2013 samples
(0-6" samples)



% Soil Samples with Sulfur less than 15 lb/a




Fall 2013 samples
(0-6" samples)



% Soil Samples with %OM less than 3.0%




Fall 2013 Samples
(0-6" samples)



% Soil Samples with Chloride less than 40 lb/a




**Fall 2013 Samples
(0-24" samples)**



% Soil Samples with Copper less than 0.5 ppm




Fall 2013 samples
(0-6" samples)



% Soil Samples with Boron less than 0.4 ppm




Fall 2013 samples
(0-6" samples)



% Soil Samples with Soil pH greater than 7.3




Fall 2013 samples
(0-6" samples)



% Soil Samples with Soil pH less than 6.0




**Fall 2013 samples
(0-6" samples)**



% Soil Samples with Carbonate greater than 5.0%




Fall 2013 samples
(0-6" samples)




% Soil Samples with Salts greater than 1.0




Fall 2013 Samples
(0-6" samples)



Manitoba - % Samples Testing with Salts greater than 1.0



1:1 salt method – expressed as mmhos/cm



Municipality Municipalité	FSA RTA	Page
BRANDON	R7A, R7B, R7C	96
HEADINGLEY	R4H, R4J	97
WINNIPEG	R2C, R2E, R2G, R2H, R2J, R2K, R2L, R2M, R2N, R2P, R2R, R2V, R2W, R2X, R2Y, R3A, R3B, R3C, R3E, R3G, R3H, R3J, R3K, R3L, R3M, R3N, R3P, R3R, R3S, R3T, R3V, R3W, R3X, R3Y, R4A	98

SCALE / ÉCHELLE 1:7 000 000

Km 50 0 50 100 150 Km

248170