



Trend for Precision Soil Testing

% Zone or Grid Samples Tested compared to Total Samples






***%Zone or Grid Samples Tested Compared to
Conventional Whole Field Composite Samples in 2014***




AGVISE Laboratories

***%Zone or Grid Samples – Northwood laboratory
1997 - 2014***




Average Soil Nitrate following Wheat in 2014







Average Soil Nitrate Following “Wheat” 1986 – 2014 (0-24” lb/a)



Soil Nitrate Variability Between Fields Following "WHEAT" in 2014




Average Soil Nitrate Following "Wheat" (1986-2014) "Deep N" (24-48" lb/a)






Average Soil Nitrate Following “Barley” 1986 - 2014




Soil Nitrate Variability Between Fields Following “Barley” in 2014






Average Soil Nitrate Following “Sunflower” 1986 - 2014




Soil Nitrate Variability Between Fields Following “Sunflower” in 2014






Average Soil Nitrate Following “Drybeans” 1986 - 2014




Soil Nitrate Variability Between Fields Following “Dry Beans” in 2014






Average Soil Nitrate Following “Sugarbeets” 1986 - 2014




Soil Nitrate Variability Between Fields Following "Sugarbeet" in 2014




Average Soil Nitrate following Fallow/ Prevent Plant in 2014

Fall 2014 Samples
(lb/a 0-24" samples)







Average Soil Nitrate Following “Fallow” 1986 - 2014



Soil Nitrate Variability Between Fields Following "Fallow" in 2014




Average Soil Nitrate following Soybean in 2014






Average Soil Nitrate Following “Soybeans” 1986 - 2014




Soil Nitrate Variability Between Fields Following “Soybeans” in 2014




Average Soil Nitrate following Corn in 2014

Fall 2014 samples
(lb/a 0-24" samples)






Average Soil Nitrate Following “Corn” 1997 – 2014 (Northwood Laboratory)




Soil Nitrate Variability Between Fields Following "Corn" in 2014



% Soil Samples with Phosphorus less than 10 ppm




Fall 2014 samples
(0-6" samples)
(Olsen P test)



% Soil Samples with Potassium less than 150 ppm




Fall 2014 samples
(0-6" samples)



% Soil Samples with Zinc less than 1.0 ppm




Fall 2014 samples
(0-6" samples)



% Soil Samples with Sulfur less than 15 lb/a




Fall 2014 samples
(0-6" samples)



% Soil Samples with %OM less than 3.0%




Fall 2014 Samples
(0-6" samples)



% Soil Samples with Chloride less than 40 lb/a




**Fall 2014 Samples
(0-24" samples)**



% Soil Samples with Copper less than 0.5 ppm




Fall 2014 samples
(0-6" samples)



% Soil Samples with Boron less than 0.4 ppm




Fall 2014 samples
(0-6" samples)



% Soil Samples with Soil pH greater than 7.3




Fall 2014 samples
(0-6" samples)



% Soil Samples with Soil pH less than 6.0




Fall 2014 samples
(0-6" samples)



% Soil Samples with Carbonate greater than 5.0%




Fall 2014 samples
(0-6" samples)




% Soil Samples with Salts greater than 1.0



Fall 2014 Samples
(0-6" samples)




North Dakota & NW Minnesota % Samples Testing with Salts greater than 1.0



1:1 salt method – expressed as mmhos/cm

South Dakota - % Samples Testing with Salts greater than 1.0



1:1 salt method – expressed as mmhos/cm

Zip Code Areas For Soil Test Summaries

