Trend for Precision Soil Testing

% Zone or Grid Samples Tested compared to Total Samples



AGVISE LABORATORIES

%Zone or Grid Samples Tested Compared to Conventional Whole Field Composite Samples in 2017



AGVISE Laboratories

%Zone or Grid Samples – Northwood laboratory
1997 - 2017



Median Soil Nitrate following Wheat in 2017



Average Soil Nitrate Following "Wheat" in Canada 1986 - 2017



AGVISE LABORATORIES

Soil Nitrate Variability Between Fields
Following "Wheat" in Canada 2016 & 2017



AGVISE LABORATORIES

Median Soil Nitrate following Canola in 2017



Average Soil Nitrate Following "Canola" 1986 - 2017



AGVISE LABORATORIES

Soil Nitrate Variability Between Fields

Following "Canola" in Canada – 2016 & 2017



AGVISE LABORATORIES

Average Soil Nitrate Following "Barley" in Canada 1986 - 2017



AGVISE LABORATORIES

Soil Nitrate Variability Between Fields

Following "Barley" in Canada – 2016 & 2017



AGVISE LABORATORIES

Average Soil Nitrate Following "Potato" in Canada 1986 - 2017



AGVISE LABORATORIES

Soil Nitrate Variability Between Fields

Following "Potato" in Canada – 2016 & 2017



AGVISE LABORATORIES

***Median* Soil Nitrate following Corn in 2017**



Fall 2017 samples

(lb/a 0-24” samples)

AGVISE LABORATORIES

***Average* Soil Nitrate Following "Corn" in Canada 1988 - 2017**



AGVISE LABORATORIES

Soil Nitrate Variability Between Fields
Following "Corn" in Canada – 2016 & 2017



AGVISE LABORATORIES

Average Soil Nitrate following Soybean in 2017



Fall 2017 samples

(lb/a 0-24” samples)

AGVISE LABORATORIES

Average Soil Nitrate Following "Soybeans" in Canada 1998 - 2017



Soil Nitrate Variability Between Fields

Following "Soybean" in Canada 2016 & 2017



AGVISE LABORATORIES

% Soil Samples with Phosphorus less than 10 ppm

AGVISE LABORATORIES

Fall 2017 samples
(0-6” samples)
(Olsen P test)



% Soil Samples with Potassium less than 150 ppm



% Soil Samples with Zinc less than 1.0 ppm



Fall 2017 samples
(0-6” samples)

% Soil Samples with Sulfur less than 15 lb/a

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Soil Samples with %OM less than 3.0%

AGVISE LABORATORIES



Fall 2017 Samples
(0-6” samples)

% Soil Samples with Chloride less than 40 lb/a

AGVISE LABORATORIES



% Soil Samples with Copper less than 0.5 ppm

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Soil Samples with Boron less than 0.4 ppm

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Soil Samples with Soil pH greater than 7.3

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Soil Samples with Soil pH less than 6.0

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Subsoil Samples with pH less than 7.0



Fall 2017 samples (0-6” samples)

% Soil Samples with Carbonate greater than 5.0%

AGVISE LABORATORIES



Fall 2017 samples
(0-6” samples)

% Soil Samples with Salts greater than 1.0

AGVISE LABORATORIES



Fall 2017 Samples
(0-6” samples)

Manitoba - % Samples Testing with Salts greater than 1.0



1:1 salt method – expressed as mmhos/cm



SCALE / ÉCHELLE 1:7 000 000

Km 50 0 50 100 150 Km

248170